

# Fraunhofer

## TESTED<sup>®</sup> DFVICF

igus GmbH chainflex CF11 **Report No. IG 2405-1526** 

Statement of Qualification

Product series

Particle Emission
in Dry-Cleanroom





### **Statement of Qualification** • Product series

**Customer** igus GmbH

Spicher Strasse 1a 51147 Cologne Germany

**Component tested** 

Category: Energy Supply

Subcategory: Cable Systems

Product name: chainflex data cable CF11

**Tested Products:** 

- CF11.01.04.02 (manufacturing date: first quarter of 2023)
- CF11.01.18.02 (manufacturing date: second quarter of 2022)
- CF11.02.14.02 (manufacturing date: fourth quarter of 2021)
- CF11.15.06.02 (manufacturing date: fourth guarter of 2022)

### Random sampling of particle emissions (airborne) at representative sites in dry-cleanroom

Standards/Guidelines:

Test devices:

Test environment parameters:

Test procedure parameters:

ISO 14644-1, -14

The norms stated generally refer to the version valid at the time of the tests.

Optical particle counter:

LasAir II 110 and LasAir III 110 with measuring ranges  $\geq$  0.1  $\mu$ m,  $\geq$  0.2  $\mu$ m,  $\geq$  0.3  $\mu$ m,  $\geq$  0.5  $\mu$ m,  $\geq$  1.0  $\mu$ m and  $\geq$  5.0  $\mu$ m

- Dry-Cleanroom Air Cleanliness Class (according to ISO 14644-1): ..... ISO 3
- Airflow pattern: ..... displacement flow
- Relative humidity/dew point: ....-40°C±2°C
- Energy chain: .....igus E61.29.02.75 or igus E61.29.02.150
- Chain bending radius: ..... r = 75 or 150 mm
- Stroke length: s = 820 mm
- Parameter Set 1:.....v<sub>1</sub> = 0.5 m/s; a<sub>2</sub> = 1.0 m/s<sup>2</sup>
- Parameter Set 2:  $v_2 = 1.0 \,\text{m/s}; \ a_2 = 2.0 \,\text{m/s}^2$
- Parameter Set 3:  $v_3 = 2.0 \,\text{m/s}; \, a_3 = 4.0 \,\text{m/s}^2$

Test result/Classification

When operated under the specified test conditions, the series chainflex data cable CF11 is suitable for use in Dry-Cleanrooms (with a room temperature of 22 °C  $\pm$ 1 °C and dew point of -40 °C  $\pm$ 2 °C) fulfilling the specifications of the following Air Cleanliness Classes according to ISO 14644-1:

Test parameter(s)	Air Cleanlines Class
$v_1 = 0.5 \text{m/s};  a_1 = 1.0 \text{m/s}^2$	4
$v_2 = 1.0 \text{m/s};  a_2 = 2.0 \text{m/s}^2$	4
$v_3 = 2.0 \text{m/s};  a_3 = 4.0 \text{m/s}^2$	4
Overall result	4

Please note: Transport damages, incorrect installation, aging behavior, etc. can influence the test result.



The measuring devices used for the qualification tests are calibrated at regular intervals; their results can be traced back to national and international standards. In cases where no national standards exist, the test procedure implemented complies with the technical regulations and norms applicable at the time of the test. The relevant documentation can be viewed on request at any time.

Detailed information and parameters of the test environment can be found in the Fraunhofer IPA test report.

Fraunhofer Institute for Manufacturing Engineering and Automation IPA

Department of Ultraclean Technology and Micromanufacturing

Nobelstrasse 12 70569 Stuttgart Germany IG 2405-1526
Report No. first document

Stuttgart, March 28, 2025

Place, date of first document issued

Report No. current document Place, current date

Place, current date

on behalf of Dr.-Ing. Frank Bürger, Project Manager Fraunhofer IPA

This document only applies to the named product in its original state and is valid for a period of 5 years from the date the first document was issued. The document can be verified under

www.tested-device.com.

